Fingertip Units for Topical Steroids

Topical steroids are used for various skin conditions. The amount of topical steroid that you should apply is commonly measured by 'fingertip units'.

What are topical steroids and how do they work?

Topical steroids are creams, ointments and lotions which contain steroid drugs. Topical steroids work by reducing inflammation in the skin. They are used for various skin conditions such as atopic eczema. Unlike many other creams and ointments, it is important to get the dose right when using topical steroids. This is why a standard measure is often used - the fingertip unit.

Fingertip units

One fingertip unit (FTU) is the amount of topical steroid that is squeezed out from a standard tube along an adults fingertip. (This assumes the tube has a standard 5 mm nozzle.) A finger tip is from the very end of the finger to the first crease in the finger. One FTU is enough to treat an area of skin twice the size of the flat of an adult's hand with the fingers together.

Two FTUs are about the same as 1 g of topical steroid. Therefore, for example, say you treat an area of skin the size of eight adult hands. You will need four FTUs for each dose. (This is 2 g per dose. If the dose is once a day, then a 30 g tube should last about 15 days of treatment.)



The following are further examples:

Area of skin to be treated (adults)	Size is roughly:	FTUs each dose (adults)
A hand and fingers (front and back)	About 2 adult hands	1 FTU
Front of chest and abdomen	About 14 adult hands	7 FTUs
Back and buttocks	About 14 adult hands	7 FTUs
Face and neck	About 5 adult hands	2.5 FTUs
An entire arm and hand	About 8 adult hands	4 FTUs
An entire leg and foot	About 16 adult hands	8 FTUs

Fingertip units and children

An FTU of cream or ointment is measured on an adult index finger before being rubbed onto a child. Again, one FTU is used to treat an area of skin on a child equivalent to twice the size of the flat of an adult's hand with the fingers together. You can gauge the amount of topical steroid to use by using your (adult) hand to measure the amount of skin affected on the child. From this you can work out the amount of topical steroid to use.

The following gives a rough guide:

For a 3-6 month old child

- Entire face and neck 1 FTU
- An entire arm and hand 1 FTU
- An entire leg and foot 1.5 FTUs
- The entire front of chest and abdomen 1 FTU
- The entire back including buttocks 1.5 FTUs

For a 1-2 year old child

- Entire face and neck 1.5 FTUs
- An entire arm and hand 1.5 FTUs
- An entire leg and foot 2 FTUs
- The entire front of chest and abdomen 2 FTUs
- The entire back including buttocks 3 FTUs

For a 3-5 year old child

- Entire face and neck 1.5 FTUs
- An entire arm and hand 2 FTUs
- An entire leg and foot 3 FTUs
- The entire front of chest and abdomen 3 FTUs
- The entire back including buttocks 3.5 FTUs

For a 6-10 year old child

- Entire face and neck 2 FTUs
- An entire arm and hand 2.5 FTUs
- An entire leg and foot 4.5 FTUs
- The entire front of chest and abdomen 3.5 FTUs
- The entire back including buttocks 5 FTUs

Further help and information

National Eczema Society

Hill House, Highgate Hill, London, N19 5NA

Tel (Helpline): 0800 089 1122 Web: www.eczema.org

References

- Eczema atopic, Clinical Knowledge Summaries (July 2008)
- MeReC Using topical corticosteroids in general practice 1999
- Long CC, Finlay AY; The finger-tip unit--a new practical measure. Clin Exp Dermatol. 1991 Nov;16(6):444-7. [abstract]
- Long CC, Mills CM, Finlay AY; A practical guide to topical therapy in children. Br J Dermatol. 1998 Feb;138(2):293-6. [abstract]

Comprehensive patient resources are available at www.patient.co.uk

Disclaimer: This article is for information only and should not be used for the diagnosis or treatment of medical conditions. EMIS and PiP have used all reasonable care in compiling the information but make no warranty as to its accuracy. Consult a doctor or other health care professional for diagnosis and treatment of medical conditions. For details see our conditions. © EMIS and PiP 2008 Reviewed: 26 Aug 2008 DocID: 4854 Version: 38